

Appl. No. 10/500,086
Amdt. Dated November 15, 2005
Reply to Office action of July 15, 2005
Attorney Docket No. P12169-US1
EUS/J/P/05-3292

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) ~~A transcoding~~ An apparatus for use in a switching network of a telecommunication system, said ~~transcoding~~ apparatus including:
a plurality of transcoding units (TRAU) for ~~source~~ encoding and decoding data, including for example speech data, wherein said plurality of transcoding units are at least one transcoding unit of said plurality is capable of for operating in tandem-free operation (TFO) mode:[I.]
switching means adapted to switch data, including speech data, through said plurality of transcoding units, and
a transcoder controller for controlling said switching means and said plurality of transcoding units, wherein said transcoder controller is adapted to instruct for:
instructing said switching means to insert one of said plurality of transcoding units ~~at least one transcoding unit~~ into a data path associated with a connection between a mobile terminal of said telecommunication system and said switching network,
determining that a switching controller associated with the switching means is transparently through-connecting the data, wherein said transcoder controller is adapted to instruct ~~said at least one transcoding unit to operate in tandem-free operation mode wherein said transcoder controller is adapted to instruct~~, during said connection, said switching means to eliminate said one of said at least one transcoding unit from said data path.
2. (Currently Amended) The ~~transcoding~~ apparatus according to claim 1, further including:

Appl. No. 10/500,085
Amdt. Dated November 16, 2005
Reply to Office action of July 15, 2005
Attorney Docket No. P12169-US1
EUS/J/P/05-3292

a plurality of TCME units for performing TFO-specific circuit multiplication operations wherein said transcoder controller is adapted to instruct said switching means to insert one of said plurality of TCME units into said data path, and

wherein said transcoder controller is adapted to instruct, during said connection, said switching means to eliminate said one of said plurality of TCME units from said data path.

3. (Currently Amended) The ~~transcoding~~ apparatus according to claim 1, wherein said transcoder controller is adapted to determine whether ~~or not~~ a switching controller of said switching network intends to add supplementary services during said connection, and

wherein said transcoder controller is adapted to instruct, during said connection, said switching means to eliminate at least one of said transcoding units ~~said one of said at least one transcoding unit~~ from said data path, if said switching controller does not intend to add supplementary services.

4. (Currently Amended) The ~~transcoding~~ apparatus according to claim 3, wherein said transcoder controller is adapted to instruct, during said connection, said switching means to insert one of said plurality of transcoding units into said data path, if said switching controller intends to add supplementary services.

5. (Currently Amended) The ~~transcoding~~ apparatus according to claim 2,

wherein said transcoder controller is adapted to determine whether or not a switching controller of said switching network intends to add supplementary services during said connection, and

wherein said transcoder controller is adapted to instruct, during said connection, said switching means to eliminate said one of said at least one transcoding unit as well as said one of said plurality of TCME units from said data path, if said switching controller does not intend to add supplementary services.

Appl. No. 10/500,085
Amdt. Dated November 15, 2005
Reply to Office action of July 15, 2005
Attorney Docket No. P12169-US1
EUS/JP/05-3292

6. (Currently Amended) The ~~transcoding~~ apparatus according to claim 5, wherein said transcoder controller is adapted to instruct, during said connection, said switching means to insert one of said plurality of transcoding units as well as one of said plurality of TCME units into said data path, if said switching controller intends to add supplementary services.

7. (Currently Amended) The ~~transcoding~~ apparatus according to claim 6, wherein said transcoder controller is adapted to determine, based on an evaluation of locally available information, whether or not a switching controller of said switching network intends to add supplementary services during said connection.

8. (Currently Amended) The ~~transcoding~~ apparatus according to claim 7, wherein said locally available information includes results of a supervision of inputs and outputs of said ~~transcoding~~ apparatus.

9. (Currently Amended) The ~~transcoding~~ apparatus according to claim 7, wherein said locally available information includes results of a supervision of reports from said one of said plurality of transcoding units and said plurality of TCME units, ~~one of said at least one transcoding units and/or from said one of said plurality of TCME units.~~

10. (Currently Amended) The ~~transcoding~~ apparatus according to claim 7, wherein said locally available information includes information received from said switching controller.

11. (Currently Amended) The ~~transcoding~~ apparatus according to claim 10, wherein said information received from said switching controller includes port address information.

Appl. No. 10/500,085
Amdt. Dated November 15, 2005
Reply to Office action of July 15, 2005
Attorney Docket No. P12169-US1
EUS/J/P/05-3292

12. (Currently Amended) The transcoding apparatus according to claim 11, further including at least one protocol/interface conversion unit for performing protocol conversion operations between different interfaces, wherein said transcoder controller is adapted to instruct, during said connection, said switching means to insert one of said at least one protocol/interface conversion unit into said data path.

13. (Currently Amended) The transcoding apparatus according to claim 12, further including at least one link supervision function unit for monitoring the TFO protocol wherein said transcoder controller is adapted to instruct, during said connection, said switching means to insert one of said at least one link supervision function unit into said data path.

14. (Currently Amended) A TCME head apparatus for use in a switching network of a telecommunication system, said TCME head apparatus including:

- a plurality of TCME units for performing TFO-specific circuit multiplication operations

- switching means adapted to switch data through said plurality of TCME units,

- a TCME head controller for controlling said switching means and said plurality of TCME units, wherein said TCME head controller is adapted for to ~~instruct~~

- instructing said switching means to insert one of said plurality of TCME units into a data path associated with a connection between a mobile terminal of said telecommunication system and said switching network:

- determining that a switching controller associated with the switching means is transparently through-connecting the data, wherein said TCME head controller is adapted to instruct, during said connection, said switching means to eliminate said one of said plurality of TCME units from said data path.

Appl. No. 10/500,085
Amdt. Dated November 15, 2005
Reply to Office action of July 15, 2005
Attorney Docket No. P12169-US1
EUS/J/P/05-3292

15. (Previously Presented) The TCME head apparatus according to claim 14,

wherein said TCME head controller is adapted to determine whether or not a switching controller of said switching network intends to add supplementary services during said connection, and

wherein said TCME head controller is adapted to instruct, during said connection, said switching means to eliminate said one of said plurality of TCME units from said data path, if said switching controller does not intend to add supplementary services.

16. (Previously Presented) The TCME head apparatus according to claim 15, wherein said TCME head controller is adapted to instruct, during said connection, said switching means to insert one of said plurality of TCME units into said data path, if said switching controller intends to add supplementary services.

17. (Previously Presented) The TCME head apparatus according to claim 16, wherein said TCME head controller is adapted to determine, based on an evaluation of locally available information, whether or not a switching controller of said switching network intends to add supplementary services during said connection.